

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 1/8
(30059253/SDS_CPA_CA/EN)

1. Product and Company Identification

Company
BASF Canada Inc.
100 Milverton Drive
Mississauga, ON L5R 4H1, CANADA

24 Hour Emergency Response Information
CANUTEC (reverse charges): (613) 996-6666
BASF HOTLINE: (800) 454-COPE (2673)

PCP # 21058/24702

2. Hazards Identification

Emergency overview

WARNING:
POISON.
Skin Irritant
KEEP OUT OF REACH OF CHILDREN.
HARMFUL IF SWALLOWED.
HARMFUL IN CONTACT WITH SKIN.
This product is a skin irritant.
COMBUSTIBLE LIQUID.
Avoid inhalation of mists/vapours.
Avoid contact with the skin, eyes and clothing.
Wash thoroughly after handling.

State of matter: liquid
Colour: pale straw yellow
Odour: faintly aromatic

Potential health effects

Acute toxicity:
Slightly toxic after single ingestion. Slightly toxic after short-term inhalation. Slightly toxic after short-term skin contact.

Irritation / corrosion:
Irritating to eyes and skin.

Sensitization:
There is no evidence of a skin-sensitizing potential.

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 2/8
(30059253/SDS_CPA_CA/EN)

3. Composition / Information on Ingredients

<u>CAS Number</u>	<u>Content (W/W)</u>	<u>Hazardous ingredients</u>
91-20-3	>= 3.0 - <= 7.0 %	naphthalene

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Immediately rinse mouth and then drink plenty of water, do not induce vomiting, seek medical attention. Do not induce vomiting due to aspiration hazard.

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Note to physician

Antidote: No known specific antidote.
Treatment: Treat symptomatically.

5. Fire-Fighting Measures

Flash point:	65.5 °C	(closed cup)
Lower explosion limit:		not determined
Upper explosion limit:		not determined

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 3/8
(30059253/SDS_CPA_CA/EN)

6. Accidental release measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Cleanup:

For small amounts: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

For large amounts: Dike spillage. Pump off product.

7. Handling and Storage

Handling

General advice:

Provide good ventilation of working area (local exhaust ventilation if necessary).

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Storage incompatibility:

General advice: Segregate from foods and animal feeds.

Temperature tolerance

Protect from temperatures below: 5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with workplace control parameters

naphthalene	OSHA	PEL 10 ppm 50 mg/m ³ ;
	ACGIH	TWA value 10 ppm ; STEL value 15 ppm ; Skin Designation ;
		The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 4/8
(30059253/SDS_CPA_CA/EN)

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	faintly aromatic	
Odour threshold:	No data available.	
Colour:	pale straw yellow	
pH value:		not applicable, not soluble
Freezing point:		Unspecified
Boiling range:	> 100 °C	The statements are based on the properties of the individual components.
Density:	0.934 g/cm ³	(20 °C)
Vapour density:		not determined
Solubility in water:		emulsifiable

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

strong oxidizing agents

Hazardous reactions:

The product is chemically stable.
No hazardous reactions when stored and handled according to instructions.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 5/8
(30059253/SDS_CPA_CA/EN)

Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide

Stable at ambient temperature. If product is heated above decomposition temperature, toxic vapours will be released.

11. Toxicological information

Acute toxicity

Oral:

Information on: Alcohols, C16-18, ethoxylated propoxylated

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

Information on: solvent naphtha

Type of value: LD50

Species: rat

Value: > 7,000 mg/kg

Inhalation:

Information on: Alcohols, C16-18, ethoxylated propoxylated

Type of value: LC50

Species: rat

Value: > 0.25 - < 1 mg/l

Exposure time: 4 h

An aerosol was tested.

Information on: solvent naphtha

Type of value: LC50

Species: rat

Value: > 4 mg/l

Exposure time: 4 h

Dermal:

Information on: Alcohols, C16-18, ethoxylated propoxylated

Value: > 4,000 mg/kg

Information on: solvent naphtha

Type of value: LD50

Species: rat

Value: > 3,160 mg/kg

Irritation / corrosion:

Skin:

Information on: Alcohols, C16-18, ethoxylated propoxylated

Species: rabbit

Result: non-irritant

Method: BASF-Test

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 6/8
(30059253/SDS_CPA_CA/EN)

Information on: solvent naphtha
Species: rabbit
Result: moderately irritating

Eye:

Information on: Alcohols, C16-18, ethoxylated propoxylated
Species: rabbit
Result: non-irritant
Method: BASF-Test

Information on: solvent naphtha
Species: rabbit
Result: Slightly irritating.

Sensitization:

Information on: solvent naphtha
Buehler test
Species: guinea pig
Result: Non-sensitizing.

Genetic toxicity

Information on: solvent naphtha
No mutagenic effect was found in various tests with bacteria and mammalian cell culture. The substance was not mutagenic in studies with mammals.

12. Ecological Information

Fish

Information on: Alcohols, C16-18, ethoxylated propoxylated
Acute:
Oncorhynchus mykiss/LC50: 0.1 - 1 mg/l

Information on: solvent naphtha
Acute:
OECD 203; ISO 7346; 84/449/EEC, C.1 semistatic
Oncorhynchus mykiss/LC50 (96 h): 18 mg/l
The statement of the toxic effect relates to the analytically determined concentration. The product has low solubility in the test medium. An aqueous dispersion has been tested.

Aquatic invertebrates

Information on: Alcohols, C16-18, ethoxylated propoxylated
Acute:
EC50 (48 h): 0.1 - 1 mg/l

Information on: solvent naphtha
Acute:
OECD Guideline 202, part 1 static
Daphnia magna/EC50 (48 h): 1.4 - 21 mg/l
The product has low solubility in the test medium. An aqueous dispersion has been tested.

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 7/8
(30059253/SDS_CPA_CA/EN)

Aquatic plants

Information on: Alcohols, C16-18, ethoxylated propoxylated

Toxicity to aquatic plants:

EC50 (72 h): 0.1 - 1 mg/l

Information on: solvent naphtha

Toxicity to aquatic plants:

OECD Guideline 201 green algae/EC50 (72 h): 3.7 - 8.3 mg/l

Analogous: Assessment derived from products with similar chemical character.

The product has low solubility in the test medium. An aqueous dispersion has been tested.

13. Disposal considerations

Waste disposal of substance:

See product label for disposal and recycling instructions.

Container disposal:

Rinse the container or liner as needed for disposal. Add rinsate to spray tank. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Consult the product label for additional details.

14. Transport Information

Land transport

TDG

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Marine pollutant:	YES
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, FATTY ALCOHOL ETHOXYLATE 39%)

Air transport

IATA/ICAO

Hazard class:	9
Packing group:	III
ID number:	UN 3082
Hazard label:	9, EHSM
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains SOLVENT NAPHTHA, FATTY ALCOHOL ETHOXYLATE 39%)

15. Regulatory Information

Federal Regulations

Registration status:

Safety Data Sheet

MERGE

Revision date : 2012/04/26
Version: 1.3

Page: 8/8
(30059253/SDS_CPA_CA/EN)

Chemical	DSL, CA	blocked / not listed
Crop Protection	DSL, CA	released / listed

WHMIS does not apply to this product.

THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CPR AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

16. Other Information

Recommended use: adjuvant

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

MSDS Prepared by:
BASF NA Product Regulations
msds@basf.com
BASF HOTLINE (800) 454 – COPE (2673)
MSDS Prepared on: 2012/04/26

END OF DATA SHEET